



ZHS

SINGLE SHAFT SHREDDER

ZHS-SERIES

Machines from the ZHS series are used in industrial operations to ensure economical processing of waste and many other materials. The shredders of the ZHS series are universal single-shaft shredders for applications in the plastics and wood industries. They have been developed for light to medium-duty applications in continuous operation.



The ZHS series has a load-dependent hydraulic pusher that feeds the material to the rotor, in a horizontal movement, in a slightly inclined position.

The material is shredded between the rotor and stator knives until it falls through the screen installed and bolted under the rotor. The replaceable screen defines the final grain size. The shredded material can be discharged via a conveyor belt, a discharge screw or pneumatically by means of an suction system.

- » Roller-mounted hydraulic pusher with horizontal movement
- » Bolted knives and knife holders
- » Optionally with segmented base for particularly thin materials
- » Aggressiveness of the rotor can be reduced or increased by filling pieces
- » Can be combined in a 2-stage system with a granulator





Large gearbox

In relation to the drive motor, it is generously dimensioned with a factor of 2 to 2.5. The drive is provided by a drive motor and V-belts.



Also for particularly abrasive and contaminated materials

For this purpose, the ZHS+ series has a rotor with Hardox armor plating as standard.




Hydraulic pusher

The hydraulic pusher is controlled by a load dependent two stage hydraulic system. From the ZHS 1400 model up, the reverse movement of the pusher is executed at a increased speed.



The rotor has a smooth, closed surface and is suitable for the processing of different products and materials.



Rotatable cutting crowns

The knife holders are equipped with concave shaped, rotatable cutting crowns.






Bolted rotor knife holders and rotor knives

The rotor knife holders are screwed (and not welded) in a pocket. The rotor knives are also screwed into the knife holders. Changing the knives / knife holders is quick and easy using the puller included in the scope of delivery.



Adjustable stator knives

They guarantee a more precise cutting gap and therefore improved grinding quality.



Bolted rotor shaft ends

Simplifies repair work enormously. They also represent a predetermined breaking point to protect the machine from more serious damage.



Screen

It is firmly screwed to the housing. From the ZHS 1700 model, the screen basket is operated via a separated, 2-hand, hydraulic system. Maintenance work on the rotor, changing the screen, the rotor knives and the rotor knife holders can be done easily and quickly.



Pusher with heavy-duty steel rollers

The pusher of the ZHS series runs on oversized, heavy-duty steel rollers. This system prevents the pusher from tilting and increased wear.



Segmented base and hydraulic pusher

They prevent very thin materials from getting under the hydraulic pusher and thus its jamming.

ZHS-SERIES

ZHS	600	850	1100	1400	1700	2000
Rotor Ø (mm)	404	404	404	404	404	404
Rotor length (mm)	600	850	1100	1400	1700	2000
Rotor speed (rpm)	100	100	100	100	100	100
Drive rotor (kW)	22 / 30	30	37	55	75	90 / 110
Drive hydraulics (kW)	1,5	1,5	1,5	7,5	7,5	7,5
Rotor knives (pcs.)	26	40	54	68	82	96
Stator knives (rows)	1	1	1	1	1	1
Cutting Chamber (mm)	540 x 480	820 x 830	1100 x 1040	1400 x 1380	1600 x 1660	1980 x 1660

ZHS+	1500	2000	2600
Rotor Ø (mm)	600	600	600
Rotor length (mm)	1500	2000	2600
Rotor speed (rpm)	74	74	74
Drive rotor (kW)	90 / 110	2 x 90	2 x 110
Drive hydraulics (kW)	11	11	11
Rotor knives (pcs.)	102	144	186
Stator knives (rows)	1	1	1
Cutting chamber (mm)	1420 x 1340	1880 x 1540	2540 x 1540

OUR SERVICES

We offer comprehensive spare parts, repair and maintenance service.

SERVICE

Our qualified specialists draw upon many years of experience in handling various types of machines. We repair and maintain machines from all major manufacturers.



SPARE PARTS, REPAIR AND MAINTENANCE

AMIS supplies spare parts and wearing parts for all makes and offers overhaul, repair and maintenance work, if possible even on site.

OPTIMIZATION

Customer specific adaptations include, for example, special hoppers, zig-zag separators, roll feeders, noise protection housing, forced feeding via force feeding screws and much more.

WE PURCHASE YOUR MACHINE

We buy used granulators, pulverizers and shredders by all common manufacturers.



TECHNICAL CENTER

Our in-house test center enables you to experience the quality of our machines and accurately simulate your process requirements.

Get in touch with us:

Telephone **+49 (0)6226 7890-0**

Email **info@amis.de**



AMIS Maschinen-Vertriebs GmbH

Im Rohrbusch 15 · 74939 Zuzenhausen · Germany

Tel. +49 (0)6226 7890-0 · info@amis.de · www.amis.de

